JOURNAL

OF

PALEONTOLOGY

VOLUME 46

R. L. Ethington W. L. Fry, W. A. Clemens, Jr.

R. E. Peck J. W. Durham, J. H. Peck, Jr.

EDITORS

Published at Tulsa, Oklahoma

BY

THE SOCIETY OF ECONOMIC PALEONTOLOGISTS

AND MINERALOGISTS

AND BY

THE PALEONTOLOGICAL SOCIETY

Volume 46 of THE JOURNAL OF PALEONTOLOGY
was mailed on the following dates:

No. 1—January 26, 1972

No. 2—March 24, 1972

No. 3—May 27, 1972

No. 4—August 9, 1972

No. 5—September 26, 1972

No. 6—November 22, 1972

EDWARD C. DAPPLES (Chairman), Department of Geology, Northwestern University, Evanston, Illinois

HORACE G. GOODELL, Department of Environmental Sciences, University of Virginia, Charlottesville, Virginia

JOHN W. HARBAUGH, Department of Geology, Stanford University, Stanford, California

JOHN E. KLOVAN, Department of Geology, University of Calgary, Calgary 44, Alberta, Canada

DAVID B. MACKENZIE, Marathon Oil Company, Box 269, Littleton, Colorado

DANIEL F. MERRIAM, Department of Geology, Syracuse University, Syracuse, New York

This Committee is charged with nominating two candidates for each of the following offices: president, vice-president, and secretary-treasurer. Please contact the Chairman if you wish to submit names of persons for consideration.

GREAT LAKES SECTION, SEPM

New 1972-1973 officers of the Great Lakes Section were elected recently and, according to outgoing president, Wayne Pryor, were installed at the Annual Field Conference, held last October. They are:

President: Richard A. Davis, Jr., Western Michigan University, Kalamazoo
Vice-President: Robert H. Shaver, Indiana Geological Survey, Bloomington
Secretary: Lee J. Suttner, Indiana University, Bloomington
Treasurer: Donald B. Macurda, Jr., University of Michigan, Ann Arbor

Great Lakes Section serves the states of Illinois, Indiana, Michigan, Ohio, Wisconsin, and western Ontario; all interested persons are welcome however. All SEPM members can become section members by sending $3.00 annual dues to Donald B. Macurda, Department of Geology, University of Michigan, Ann Arbor, Michigan, 48104. Any student or non-SEPM member may become a section member by making application to the Secretary, Lee J. Suttner, Department of Geology, Indiana University, Bloomington, Indiana, 47401. Student dues are $1.00 per year.

PACIFIC SECTION, SEPM

New officers of the Pacific Section who took office on July 1, 1972, were announced by outgoing president, James Taylor, as follows:

President: Roderick D. McLennan, Union Oil Company of California, Santa Fe Springs, California
Vice-President: Sonja B. Mulvane, Shell Oil Company, Los Angeles, California
Secretary: A. Eugene Fritsche, California State University, Northridge
Treasurer: Gene Shaw, Shell Oil Company, Los Angeles, California

The first proceedings volume of a Pacific Section annual convention is now available from the Treasurer, Pacific Section, at a cost of $6.50. Entitled *Proceedings of the Pacific Coast Miocene Biostratigraphic Symposium*, the soft-cover volume contains much new data on biostratigraphy, chronostratigraphy and paleoecology. It includes proceedings of the technical sessions (SEPM) of the convention as well as a symposium on Miocene stratigraphy. Address inquiries to Gene Shaw, Shell Oil Company, P.O. Box 3397, Terminal Annex, Los Angeles, California 90051.

The Pacific Section, SEPM, dinner meeting and Fall Field Trip was held Friday evening, October 20, and all day Saturday, October 21, 1972, at Coalinga, California. The subject of the dinner meeting and field trip was the Cretaceous stratigraphy of the Coalina area, directed by R. L. Hickernell.

JOURNAL OF PALEONTOLOGY

INDEX TO VOLUME 46

AUTHOR INDEX

		No.	Page
1.	ADDICOTT, W. O., Neogene molluscan paleontology along the west coast of North America, 1840–1969—trends and status	5	627
2.	ANSTEY, R. L., Upper Ordovician ecology of the central Appalachians, by Peter William Bretsky, Jr, (review)	5	783
3.	BARNETT, S. G., The evolution of *Spathognathodus remscheidensis* in New York, New Jersey, Nevada, and Czechoslovakia	6	900
	BARNETT, S. G., see YOCHELSON, E. L. (142)		
4.	BEAL, R. S., JR., A new fossil Cryptorhopalum (Dermestidae: Coleoptera) from Tertiary amber of Chiapas, Mexico	2	317
5.	BERRY, W. B. N., and M. A. MURPHY, Early Devonian graptolites from the Rabbit Hill Limestone in Nevada	2	261
6.	BERRY, W. B. N., and I. R. SATTERFIELD, Late Silurian graptolites from the Bainbridge Formation in southeastern Missouri	4	492
7.	BOLTON, T. E., and M. J. COPELAND, Type specimens, *Pionodema cooperi* Steele and Sinclair, 1971 (paleontological note)	3	453
8.	BORESKE, J. R., LEONARD GOLDBERG, and BARRY CAMERON, A reworked cetacean with clam borings: Miocene of North Carolina	1	130
9.	BOUCOT, A. J., and J. G. JOHNSON, *Callicalyptella*, a new genus of notanopliid brachiopod from the Devonian of Nevada	2	299
	BOUCOT, A. J., see JOHNSON, J. G. (56)		
10.	BOYD, D. W., and N. D. NEWELL, Taphonomy and diagenesis of a Permian fossil assemblage from Wyoming	1	1
11.	BRANSTRATOR, J. W., *Lanthanaster cruciformis*, a new Upper Ordovician sea star from Cincinnati, Ohio	1	66
12.	BROAD, D. S., and A. C. LENZ, A new Upper Silurian species of *Vernonaspis* (Heterostraci) from Yukon Territory, Canada	3	415
13.	BUZAS, M. A., Biofacies analysis of presence or absence data through canonical variate analysis	1	55
	CAMERON, BARRY, see BORESKE, J. R. (8)		
14.	CARROLL, R. L., Anthracosauria (Part 5A of Handbuch der Paläoherpetologie, O. Kuhn, ed.), by A. L. Panchen (review)	3	463
15.	CARTER, CLAIRE, Ordovician (Upper Caradocian) graptolites from Idaho and Nevada	1	43
16.	CARTER, J. L., Early Mississippian brachiopods from the Gilmore City Limestone of Iowa	4	473
17.	CARTER, J. L., Two new genera of lamellose spiriferacean brachiopods	5	729
18.	CARTER, R. M., Adaptations of British Chalk Bivalvia	3	325
19.	CHAIFFETZ, M. S., Functional interpretation of the sacs of *Ancyrochitina fragilis* Eisenack, and the paleobiology of the ancyrochitinids	4	499
20.	CHAMBERLAIN, C. K., Evolution of the Permian trilobite *Anisopyge*	4	503
	CHARRIER, REYNALDO, see LAHSEN, ALFREDO (67)		
21.	CHIANG, K. K., A Late Wenlockian brachiopod fauna from the Amabel Formation of Ontario	1	15
22.	CHIANG, K. K., *Hesperorthis* and the two new Silurian species	3	353
	CLARK, D. L., see STEUERWALD, B. A. (119)		
	COLLIER, F. J., see MELLO, J. F. (76)		
23.	COOMBS, W. P., JR., The bony eyelid of *Euoplocephalus* (Reptilia, Ornithischia)	5	637
24.	COOPER, G. A., Correction of a brachiopod name (paleontological note)	3	450
	COPELAND, M. J., see BOLTON, T. E. (7)		
25.	COPPER, PAUL, Great Basin Lower Devonian Brachiopoda, by J. G. Johnson (review)	6	927
26.	CORRELL, R. L., and R. A. HENDERSON, A correction to RMAR	1	156
27.	COSGRIFF, J. W., *Parotosaurus wadei*, a new capitosaurid from New South Wales	4	545
	COTNER, N. J., see DOUGLASS, R. C. (30)		
	CRENSHAW, M. A., see DAVIES, T. T. (29)		
28.	CUFFEY, R. J., History of the Earth—An Introduction to Historical Geology, by B. Kummel (review)	2	321
	DALY, ELEANOR, see OLSON, E. C. (90)		
29.	DAVIES, T. T., M. A. CRENSHAW, and B. M. HEATFIELD, The effect of temperature on the chemistry and structure of echinoid spine regeneration	6	874
	DEAN, D. A., see NYE, O. B., JR. (88)		
30.	DOUGLASS, R. C., and N. J. COTNER, Computer methods for plotting growth curves illustrated by their use in the study of fusulinids	3	406
31.	DRAHOVZAL, J. A., and J. H. QUINN, A new Goniatites species from the Chesteran of Arkansas	4	581

32. ELDREDGE, NILES, Morphology and relationships of *Bouleia* Kozlowski, 1923 (Trilobita, Calmoniidae) 1 140
EVANS, IAN, see STANTON, R. J. (118)
FAGERSTROM, J. A., see FABIAN, R. K. (93)
33. FIFE, D. L., R. A. GANGLOFF, and J. C. HOLDEN, Precambrian stromatolites from the White-Inyo Mountains, California 5 771
34. FIRBY, J. B., Type vertebrates from Lompoc, California now at the California Academy of Sciences (paleontological note) 3 450
FLORY, R. A., see JOHNSON, J. G. (61)
35. FLOYD, J. C., C. F. KAHLE, and R. D. HOARE, A new species of *Favosites* from the Tymochtee Formation (Silurian), northwestern Ohio 4 533
36. FONG, C. C. K., *Bellocaris*, a new Mississippian crustacean from Newfoundland (paleontological note) 4 594
37. FRANKEL, LARRY, Subsurface reproduction in Foraminifera 1 62
38. FREY, R. W., Coastal Lagoons, a Symposium, edited by Agustin Ayala Castanares and Fred B. Phleger (review) 3 461
39. GALBREATH, E. C., The Carnivora of the Hagerman local fauna (Late Pliocene) of southwestern Idaho, by Philip R. Bjork (review) 5 785
GANGLOFF, R. A., see FIFE, D. L. (33)
40. GERMS, G. J. B., Trace fossils from the Nama Group, South West Africa 6 864
41. GERNANT, R. E., The paleoenvironmental significance of *Gyrolithes* (Lebensspur) 5 735
42. GILLETTE, D. D., Coelomic cavity casts of Upper Cretaceous fishes in Texas 1 50
GOLDBERG, LEONARD, see BOERSKE, J. R. (8)
43. GRANT, R. E., The lophophore and feeding mechanism of the Productidina Brachiopoda) 2 213
44. GRAY, JANE, Palynological Studies on Hungarian Early Tertiary Deposits, by M. Kedves (review) 3 460
45. GREEN, MORTON, Lagomorpha from the Rosebud Formation, South Dakota 3 377
46. GUSTAVSON, T. C., A warm-water Pleistocene fauna from the Gardiners Clay of eastern Long Island (paleontological note) 3 447
47. HAAS, OTTO, Recent literature on Mesozoic ammonites—Part XIII 5 742
HANNA, F. M., see MILLER, R. H. (80)
48. HANSMAN, R. H., *Camptophyllia* from the Lower Coal Measures of Lancashire .. 2 315
HEATFIELD, B. M., see DAVIES, T. T. (29)
HENDERSON, R. A., see CORRELL, R. L. (26)
49. HERMAN, YVONNE, and M. C. METZ, Staining technique for Recent and fossil calcareous invertebrates 1 152
HINDS, R. W., see NYE, O. B., JR. (88)
50. HOARE, R. D., M. T. STURGEON, and T. B. HOARE, Middle Pennsylvanian (Allegheny Group) Polyplacophora from Ohio 5 675
HOARE, R. D., see FLOYD, J. C. (35)
HOARE, R. D., see STURGEON, M. T. (124)
HOARE, T. B., see HOARE, R. D. (50)
HOLDEN, J. C., see FIFE, D. L. (33)
51. HOROWITZ, A. S., and J. A. WATERS, A Mississippian echinoderm site in Alabama 5 660
52. HOROWITZ, A. S., and C. B. REXROAD, Conodont biostratigraphy of some United States Mississippian sites 6 884
53. HOWE, H. J., Morphology of the brachiopod genus *Thaerodonta* 3 440
54. HOWE, H. J., Paleozoic Perspectives: A Paleontological Tribute to G. Arthur Cooper, edited by J. Thomas Dutro, Jr. (review) 4 600
55. JENNINGS, J. R., A polyvinyl chloride peel technique for iron sulphide petrifications 1 70
JEUNIAUX, CH., see VOSS-FOUCART, M. F. (130)
56. JOHNSON, J. G., and A. J. BOUCOT, Origin and composition of the Carinatininae (Devonian Brachiopoda) 1 31
57. JOHNSON, J. G., The *Antistrix* brachiopod faunule from the Middle Devonian of central Nevada 1 120
58. JOHNSON, J. G., and ROLF LUDVIGSEN, *Carinagypa*, a new genus of pentameracean brachiopod from the Devonian of western North America 1 125
59. JOHNSON, J. G., and A. W. NORRIS, *Tecnocyrtina*, a new genus of Devonian brachiopods 4 565
60. JOHNSON, J. G., *Teichertina*, the last dicaelosiid brachiopod 6 830
61. JOHNSON, J. G., and R. A. FLORY, A Rasenriff fauna from the Middle Devonian of Nevada 6 892
JOHNSON, J. G., see BOUCOT, A. J. (9)
62. KACHHARA, R. P., and S. KANJILAL, On *Neoprionoceras* Spath, 1928 (paleontological note) 6 920
63. KAESLER, R. L., and J. A. WATERS, Proloculus size and natural selection in *Triticites ventricosus* (Fusulinacea) 3 360
KAHLE, C. F., see FLOYD, J. C. (35)
KANJILAL, S., see KACHHARA, R. P. (62)

64. KAUFFMANN, E. G., Oyster-Like Permian Bivalvia, by Norman D. Newell and Donald W. Boyd (review) 4 601
65. KJELLESVIG-WAERING, E. N., *Brontoscorpio anglicus*: a gigantic lower Paleozoic scorpion from central England 1 39
66. KULMAN, JÜRGEN, Ontogenetic allometries of rugose corals 1 75
67. LAHSEN, ALFREDO, and REYNALDO CHARRIER, Late Cretaceous ammonites from Seno Skyring-Strait of Magellan area, Magallanes Province, Chile 4 520
68. LANGSTON, WANN, JR., Stratigraphy and Paleontology of the Cloverly Formation (Lower Cretaceous) of the Bighorn Basin Area, Wyoming and Montana, by John H. Ostrom (review) 6 928
69. LAUB, R. S., The auloporid genus *Cladochonus* M'Coy 1847: new data from the New York Devonian 3 364
70. LENZ, A. C., *Pliocyrtina* and *Plicoplasia* (Brachiopoda) from the Lower Devonian of the northern Canadian Cordillera 1 99
LENZ, A. C., see BROAD, D. S. (12)
LEVIN, H. L., see SHERWOOD, R. W. (108)
71. LINDSAY, E. H., and LUNDIN, R. F., An Oligocene oreodont (Mammalia: Artiodactyla) from central Arizona 1 115
LINTZ, JOSEPH, JR., see LOVERIN, J. R. (72)
72. LOVERIN, J. R., and JOSEPH LINTZ, JR., Techniques of revealing cephalopod suture patterns 1 152
LUDVIGSEN, ROLF, see JOHNSON, J. G. (58)
LUNDIN, R. F., see LINDSAY, E. H. (71)
McGINNIS, M. R., see STRIMPLE, H. L. (120)
73. McKINNEY, F. K., The Course of Evolution, by J. Marvin Weller (review) 6 931
74. MCLEAN, D. M., *Cladopyxidium septatum*, n. gen., n. sp., possible Tertiary ancestor of the modern dinoflagellate *Cladopyxis hemibrachiata* Balech, 1964 .... 6 861
75. MACURDA, D. B., JR., The type species of the Permian blastoid *Calycoblastus* 1 94
76. MANGER, W. L., and QUINN, J. H., Carboniferous dimorphoceratid ammonoids from northern Arkansas 2 303
77. MATTEN, L. C., *Callixylon* from the Maury Formation (Lower Mississippian) of Tennessee 5 711
78. MELLO, J. F., and F. J. COLLIER, New procedures in recording specimen-related data on fossils 5 776
79. MERRIAM, D. F., Pacific Geology (new journal) edited by M. Manato, et al., (review) 2 322
80. MERRILL, G. K., Taxonomy, phylogeny, and biostratigraphy of *Neognathodus* in Appalachian Pennsylvanian rocks 6 817
METZ, M. C., see HERMAN, YVONNE (49)
81. MILLER, R. H., Silurian conodonts from the Llano region, Texas 4 556
82. MILLER, R. H., and F. M. HANNA, Silurian conodonts from Death Valley, California: Preliminary report (paleontological note) 6 922
83. MINKOFF, E. C., A fossil baboon from Angola, with a note on Australopithecus .. 6 836
84. MORRIS, W. J., A giant hadrosaurian dinosaur from Baja California (paleontological note) 5 777
MURPHY, M. S., see BERRY, W. B. N. (5)
85. NASSICHUK, W. W., and CLAUDE SPINOSA, Early Permian (Asselian) ammonoids from the Hare Fiord Formation, northern Ellesmere Island 4 536
NEWELL, N. D., see BOYD, D. W. (10)
86. NICHOLS, D. J., Palaeopalynology, Volume 2—Assemblages of spores, pollen and other plant microfossils characteristic of various stratigraphical subdivisions from the Upper Precambrian to the Holocene in the USSR, by E. M. Andreev (review) 5 781
87. NORFORD, B. S., *Acaste birminghamensis*, a new Lower Silurian trilobite from Alabama 3 348
NORRIS, A. W., see JOHNSON, J. G. (59)
88. NYE, O. B., JR., D. A. DEAN, and R. W. HINDS, Improved thin section techniques for fossil and recent organisms 2 271
89. OLSON, E. C., *Fayella chickashaensis*, the Dissorophoidea and the Permian terrestrial radiations 1 104
90. OLSON, E. C., and ELEANOR DALY, Notes on *Gnathorhiza* (Osteichthyes, Dipnoi) 3 371
91. OLSON, E. C., *Diplocaulus parvus* n. sp. (Amphibia: Nectridea) from the Chickasha Formation (Permian: Guadalupian) of Oklahoma 5 656
92. ORMISTON, A. R., *Fuscinipyge*, new Middle Devonian trilobite genus from the Northwest Territories, Canada 5 666
93. PABIAN, R. K., and J. A. FAGERSTROM, Late Paleozoic trilobites from southeastern Nebraska 6 789
94. PARSLEY, R. L., The Belemnocystitidae: solutan homeomorphs of the Anomalocystitidae 3 341
95. PECK, R. E., and W. T. WATKINS, Comatuid crinoids from the Lower Cretaceous of Texas 3 410

96. Pedder, A. E. H., Species of the tetracoral genus *Temnophyllum* from Givetian/Frasnian Boundary beds of the District of Mackenzie, Canada 5 696
97. Picard, M. D., Levkas Man, by Hammond Innes (review) 4 603
98. Plas, L. P., Jr., Upper Wolfcampian(?) Mollusca from the Arrow Canyon Range, Clark County, Nevada 2 249
Quinn, J. H., see Drahovzal, J. A. (31)
Quinn, J. H., see Manger, W. L. (74)
Rexroad, C. B., see Horowitz, A. S. (52)
99. Richards, R. P., Autecology of Richmondian brachiopods (Late Ordovician of Indiana and Ohio) 3 386
Rickards, R. B., see Whittington, H. B. (138)
100. Riding, Robert, and D. F. Toomey, The sedimentological role of *Epiphyton* and *Renalcis* in Lower Ordovician mounds, southern Oklahoma 4 509
101. Riding, Robert, and J. L. Wray, Note on the ?algal genera *Epiphyton*, *Paracepiphyton*, *Tharama*, and *Chabakovia* (paleontological note) 6 918
102. Rigby, J. K., and A. T. Washburn, A new hexactinellid sponge from the Mississippian-Pennsylvanian Diamond Peak Formation in Eastern Nevada 2 266
103. Ross, C. A., Paleobiological analysis of fusulinacean (Foraminiferida) shell morphology 5 719
104. Ross, C. A., Biostratigraphy and Lower Permian Fusulinidae of the Upper Delta River Area, East-Central Alaska Range, by Ronald G. Petocz (review) 6 925
105. Sando, W. J., The identity and significance of *Menophyllum ulrichanum* Girty 1 58
106. Sando, W. J., Bee-nest pseudofossils from Montana, Wyoming, and South-West Africa 3 421
Satterfield, I. R., see Berry, W. B. N. (6)
107. Schultz, G. E., Pleistocene and Recent Environments of the Central Great Plains, edited by Wakefield Dort, Jr., and J. Knox Jones, Jr. (review) 1 157
108. Sherwood, R. W., and H. L. Levin, A closer look at *Trochaster simplex* Klumpp (paleontological note) 4 591
109. Shrock, R. R., A way to help the Paleontological Society meet publication costs (paleontological note) 3 451
110. Shrock, R. R., A 27-year report on sales of "Index Fossils of North America" (paleontological note) 3 453
111. Shrock, R. R., Corrigenda II for "Index Fossils of North America" (paleontological note) 3 455
112. Simpson, G. G., Article 23(b) and the International Commission on Zoological Nomenclature (paleontological note) 4 598
113. Smith, R. N., Historical Geology, 3rd Edition, by Carl O. Dunbar and Karl M. Waage (review) 4 603
114. Sohn, I. G., The identity of *Howecythereis* Shon, 1970 (Crustacea, Ostracoda) 1 155
115. Sorauf, J. E., Middle Devonian coral faunas (Rugosa) from Washington and Oregon 3 426
Spinosa, Claude, see Nassichuk, W. W. (85)
116. Srivastava, S. K., *Tappanispora loeblichii*, n. gen., n. sp., from the Kiamichi Formation (Albian) of Texas 6 859
117. Stanley, S. M., Functional morphology and evolution of byssally attached bivalve mollusks 2 165
118. Stanton, R. J., Jr., and Ian Evans, Community structure and sampling requirements in paleoecology 6 845
119. Steuerwald, B. A., and D. L. Clark, *Globigerina pachyderma* in Pleistocene and Recent Arctic Ocean sediment 4 573
120. Strimple, H. L., and McGinnis, M. R., A new camerate crinoid from the Al Rose Formation, Lower Orodvician of California 1 72
121. Strimple, H. L., Concerning Ordovician *Neoarchaeocrinus* (paleontological note) 3 450
122. Strimple, H. L., Occurrence of *Tundracrinus* in Oklahoma (paleontological note) 4 598
123. Strimple, H. L., Porosity of a fossil crinoid ossicle 6 920
124. Sturgeon, M. T., and R. D. Hoare, Pennsylvanian brachiopods from Ohio: corrections 1 155
Sturgeon, M. T., see Hoare, R. D. (50)
125. Swinton, W. E., Encyclopedia of Paleoherpetology, Part 6, Cotylosauria, by O. Kuhn; Part 9, Proganosauria, Bolosauria, Placodontia, Areoscelida, Trilophosauria, Wiegeltisauria, Millerosauria, Rhynchocephalia, Protosauria, by O. Kuhn; Part 15, Ornithischia, by R. Steel (review) 2 321
126. Toomey, D. F., The biota of the Pennsylvanian (Virgilian) Leavenworth
126. Toomey, D. F., The biota of the Pennsylvanian (Virgilian) Leavenworth Limestone, midcontinent region. Part 3: Distribution of calcareous Foraminifera ... 2 276
Toomey, D. F., see Riding, Robert (100)
127. Traverse, Alfred, Evolution of the Earth, by Robert H. Dott (review) 6 925
128. Ubaghs, G., More about *Aethocrinus moorei* Ubaghs, the oldest known dicyclic crinoid (paleontological note) 5 773

129. VAN VALEN, LEIGH, Deltatheridia, Carnivora, and Condylartha (Mammalia) of the Early Eocene, Paris Basin, France, by Thomas H. V. Rich (review).... 6 929
130. VOSS-FOUCART, M. F., and CH. JUNIAUX, Lack of chitin in a sample of Ordovician Chitinozoa..... 5 769
131. WAGNER, C. D., A new Paleocene phymosomatoid echinoid from Baja California 5 651
132. WALKER, K. R., Trophic analysis: a method for studying the function of ancient communities 1 82
WASHBURN, A. T., see RIGBY, J. K. (102)
133. WASS, R. E., The anterior musculature of the Permian bivalve genus *Astartila* Dana 2 318
134. WASS, R. E., Permian Bryozoa from South Africa..... 6 871
135. WATERHOUSE, J. B., Stratigraphic Boundary Problems: Permian and Triassic of West Pakistan, edited by Bernhard Kummel and Curt Teichert (review).... 1 158
WATERS, J. A., see HOROWITZ, A. S. (51)
WATERS, J. A., see KAESLER, R. L. (63)
WATKINS, W. T., see PECK, R. E. (95)
136. WEST, R. M., New late Paleocene apatemyid (Mammalia, Insectivora) from Bison Basin, central Wyoming..... 5 714
137. WESTERMANN, G. E. G., Doubtful distinction of the Alenian ammonite genus *Tugurites* Kalacheva and Sei, 1970 (paleontological note)..... 5 779
138. WHITTINGTON, H. B., and R. B. RICKARDS, The graptolite *Reticulograptus tuberosus sinclairi* Whittington and Rickards (paleontological note)..... 1 154
WISE, O. A., JR., see YOCHELSON, E. L. (141)
139. WOODBURNE, M. O., The Hamilton Fauna—A Late Pliocene Mammalian Fauna from the Grange Burn, Victoria, Australia, by William D. Turnbull and Ernest L. Lundelius, Jr. (review)..... 6 930
WRAY, J. L., see RIDING, ROBERT (101)
140. WRIGHT, R. H., Late Pleistocene marine fauna, Goleta, California..... 5 688
141. YOCHELSON, E. L., and O. A. WISE, JR., A life association of shell and operculum in the Early Ordovician gastropod *Ceratopea unguis*..... 5 681
142. YOCHELSON, E. L., and S. G. BARNETT, The Early Ordovician gastropod *Ceratopea* in the Plattsburgh, New York area..... 5 685

SUBJECT INDEX

Acaste birminghamensis: new species, trilobite (87)
Acutichiton pyrmidalis: new genus and new species, Polyplacophora (50)
Adaptations: chalk bivalves (18)
Africa, South-West: trace fossils, Cambrian-Precambrian (40)
Africa, South: bryozoans, Permian (134)
Alabama: trilobites, Silurian (87); echinoderm site, Mississippian (51)
Algae: sedimentological role, Ordovician (100); systematic positions of *Epiphyton, Parepiphyton, Tharama* and *Chabakovia* (101)
Amaurotoma zappa: new species, gastropod (98)
Ammonites: recent literature (47); *Tugurites* Kalacheva and Sei, doubtful distinction (137)
Ammonoidea: Carboniferous, Arkansas (76); Cretaceous, Chile (67); Permian, Ellesmere Island (85); substitute generic name for *Campylites* (62)
Amphibia: Permian, Oklahoma (91); Permian, Oklahoma (89)
Anatrypa calypso: new species, brachiopod (57)
Ancyrochitina fragilis Eisenack: functional interpretation of sacs (19)
Ancyrochitinids: paleobiology (19)
Angola: baboon, Pleistocene (83)
Anisopyge hyperbola: new species, trilobite (20)
Anisopyge: Permian trilobite, evolution (20)
Anisopyge whitei: new species, trilobite (93)
Anomphalus jaggerius: new species, gastropod (98)
Antistrixidae: new family, brachiopod (57)
Antistrix invicta: new genus and new species, brachiopod (57)
Apousiella: new genus, brachiopod, to replace *Bouchardopsis* Mailleux (17)
Appalachian region: *Neognathodus* (conodont) Pennsylvanian (78)
Arizona: conodont, Oligocene (71)
Arkansas: ammonoids, Carboniferous (76); *Ceratopea unguis*, operculum and shell, Ordovician (141); goniatite, Mississippian (31)
Atlantic Coastal Plain: Gyrolites, paleoenvironmental significance (41)
Atrypa reticularis alexanderi: new subspecies, brachiopod (21)
Autecology: brachiopods, Ordovician (99)
Baboon: Pleistocene, Angola (83)
Baja California: echinoid, Paleocene (131); giant dinosaur (84)
Beetle: Tertiary, Mexico (4)
Belemnocystitidae: Ordovician Homoiostelea (94)

Bellocaris newfoundlandensis: new genus, new species, crustacean (36)
Biostratigraphy: Gilman City Limestone, Iowa (16)
Biofacies analysis: foraminifers, Texas Coast (13)
Biostratigraphy: conodonts, Mississippian (52); Devonian trilobites, Northwest Territories (92)
Biota: Pennsylvanian, Midcontinent (126)
Bivalves: Cretaceous chalk, England (18); morphology, evolution (117); musculature, Permian (133)
Blastoid: Permian, Timor (73)
Brachiopoda: Devonian (59, 60); Devonian, Canada (56, 70); Devonian, Nevada (57, 9, 61); Devonian, Western North America (58); *Hesperorthis* redescribed (22); Lower Carboniferous, Texas (17); Mississippian, Iowa (16); morphology, Ordovician (53); Ordovician, Indiana and Ohio (99); Permian, feeding mechanism (43); Silurian, Ohio (21)
Brontoscorpio anglicus: new genus and new species, scorpion (65)
Bryozoa: Permian, South Africa (134)
Calcite chemistry: echinoid spine regeneration (29)
California: conodonts, Silurian (82); crinoid, Ordovician (120); marine fauna, Pleistocene (140); stromatolites, Precambrian (33)
Callicalyptella empelia: new genus and new species, brachiopod (9)
Callixylon newberryi: Mississippian, Tennessee (77)
Calycoblastus tricavatus: Permian blastoid, redescription (75)
Cambrian: trace fossils, South West Africa (40)
Camptophyllia: arthropod, Coal Measures, England (48)
Canada: brachiopods, Devonian (56, 70); ostracoderms, Silurian (12); tetracorals, Devonian (96)
Canonical variate analysis: foraminifers, Texas Coast (13)
Capitosauridae: Triassic, New South Wales (27)
Carboniferous: ammonoids, Arkansas (76); sponge, Nevada (102)
Carinagypa: new genus, brachiopod (58)
Carinatina lowtherensis: new species, brachiopod (56)
Carinatininae: origin and composition, brachiopod (56)
Ceocypea chytrina: new species, brachiopod (43)
Ceocypea dischides: new genus and new species, brachiopod (43)
Ceratopea: opercula, Ordovician, New York (142)
Ceratopea unguis: operculum and shell, Ordovician gastropod (141)
Cetacean: Miocene, North Carolina (8); with clam borings (8)
Charactophyllidae: new family, tetracorals (96)
Chile: ammonites, Cretaceous (67)
Chitinozoa: Ordovician, lack of chitin (130)
Coelenterata: Devonian, Canada (96); Devonian, Washington and Oregon (115)
Coelomic cavity casts: Cretaceous, Texas (42)
Cladochonus: genus redescribed, tabulate coral (69)
Cladopyxidium septatum: new genus, new species, dinoflagellate (74)
Climacograptus innotatus nevadensis: new subspecies, graptolite (15)
Coelenterata: Devonian, Nevada (61); Devonian, New York (69)
Colorado: corals, Mississippian (105)
Coloration: Mollusca, Permian (98)
Computer methods: plotting growth curves (30)
Community definition and recognition (118)
Conodonts: biostratigraphy, Mississippian (52); evolution of *Spathognathodus remscheidensis* (3); Pennsylvanian, Appalachian region (80); Silurian, California (82); Silurian, Texas (81)
Corals: Mississippian, Colorado (105); ontogenetic changes (66); Silurian, Ohio (35)
Cretaceous: ammonites, Chile (67); bivalves, England (18); coelomic cavity casts, Texas (42); comatulid crinoids, Texas (95); Reptilia, bony eyelid (23)
Cretaceous, Lower: microspores, Texas (116)
Crinoidea: *Aethocrinus moorei*, interpretation of thecal plating (128); Pennsylvanian, Oklahoma (122); porosity of fossil ossicle (123); Cretaceous, Texas (95); Ordovician, California (120)
Crustacea: Mississippian, Newfoundland (36)
Cryptatrypa paracircula: new species, brachiopod (61)
Cryptorhopalum electron: new species, beetle (4)
Czechoslovakia: conodont evolution (3)
Data: recording fossils, new procedures (78)
Devonian: brachiopods (59, 60); brachiopods, Canada (56, 70); brachiopods and corals, Nevada (61); brachiopods, Nevada (57, 9); brachiopod, Western North America (56); graptolites, Nevada (5); rugose corals, Washington and Oregon (115); tabulate corals, New York (69); tetracorals, Canada (96); trilobite, Northwest Territories (92)
Diagenesis: Permian limestone, Wyoming (10)
Dicellograptus alector: new species, graptolite (15)

Dinoflagellate: Paleocene, Virginia-Maryland (74)
Dinosaur: Baja California (84)
Diplocaulus parvus: new species, amphibian (91)
Echinodermata: Belemnocystitidae, Ordovician (94); Mississippian, Alabama (51)
Echinoids: spine regeneration (29); Paleocene, Baja California (131)
Ecology: lagomorph genera, Miocene (45)
Ellesmere Island: ammonoids, Permian (85)
England: arthropod, Coal Measures (48); bivalves, Cretaceous (18); scorpion, Siluro-Devonian (65)
Epicelia episcopiensis: new genus and new species, brachiopod (43)
Epiceliinae: new subfamily, brachiopods (43)
Eumetria iowensis: new species, brachiopod (16)
Enoplocephalus tutus: Cretaceous reptile, bony eyelid (23)
Evolution: byssally attached bivalves (117); palpebral in the Ornithischia (23); Permian trilobite *Anisopyge* (20)
Factor analysis: foraminiferal data (126)
Falafer epidelus: new genus and new species, brachiopod (43)
Falafer triminulus: new species, brachiopod (43)
Faunal patterns: defined by Q-mode cluster analysis, south and east of the Mississippi Delta (118)
Favosites cayuganensis: new species, coral (35)
Favosites: evaporite-carbonate tidal flat environment (35)
Feeding mechanism: brachiopods (43)
Fimbrinia: new generic name for *Fimbriaria*, brachiopod (24)
Foraminifera: biofacies analysis, Texas Coast (13); paleobiological analysis, fusulinids and living large calcareous forms (103); Pennsylvanian, Midcontinent (126); Pleistocene and Recent, Arctic Ocean sediments (119); subsurface reproduction (37)
Fossil community: brachiopods and corals, Nevada Devonian (61)
Functional analysis: chalk bivalves (18)
Fuscinipyge applanata: new species, trilobite (92)
Fuscinipyge inflata: new species, trilobite (92)
Fuscinipyge volkini: new genus and new species, trilobite (92)
Fusulinacea: computer methods for plotting growth curves (30); population analysis, *Triticites ventricosus* (63)
Gastropoda: New York, Ordovician (142); Arkansas, Ordovician (141)
Gilman City Limestone: correlation, Iowa and Alberta (16)
Globigerina pachyderma: temperature indicator, Arctic (119)
Glyptospira arelela: new species, gastropod (98)
Gnathorhiza noblensis: new species, lungfish (90)
Goniatites mapesi: new species, goniatite (31)
Goniatitidae: Mississippian, Arkansas (31)
Graptolithina: Silurian, Missouri (6)
Graptolites: Devonian, Nevada (5); Ordovician, Idaho and Nevada (15); Ordovician, Ontario (138)
Greece: brachiopods, Permian (43)
Gripholagomys lavocati: new genus and species, lagomorph (45)
Growth curves: computer methods for plotting (30)
Growth stages: comatulid crinoids (95)
Gunnarites kalika Zone: Maestrichtian, Chile (67)
Gyrolithes (lebensspuren): paleoenvironmental significance (41)
Hemiplethorhynchus subovatum: new species, brachiopod (16)
Hesperorthis cooperi: new species, brachiopod (22)
Hesperorthis: genus redescribed, brachiopod (22)
Hesperorthis ontarioensis: new species, brachiopod (22)
Howecythereis indicata: junior synonym of *Acanthocythereis washingtonensis* Hazel, ostracod (114)
Howecythereis Sohn: junior synonym of *Acanthocythereis* Howe, ostracod (114)
Idaho: graptolites, Ordovician (15)
Indiana: brachiopods, Ordovician (99)
Insectivora: Paleocene, Wyoming (136)
Iowa: brachiopods, Mississippian (16)
Labidolemur major: new species, Insectivora (136)
Lagomorpha: Miocene, South Dakota (45)
Lanthanaster cruciformis: new genus and new species, sea star (11)
Lebensspuren: *Gyrolithes*, paleoenvironmental significance (41)
Lower Carboniferous: brachiopods, Texas (17)
Lungfish: Permian, Oklahoma (90)
Maryland: dinoflagellate, Paleocene (74)
Menophyllum ulrichanum: Mississippian coral, Colorado (105)
Metadimorphoceras saundersi: new species, ammonoid (76)

Metadimorphoceras subdivisum: new species, ammonoid (76)
Mexico: beetle, Tertiary (4)
Microspores: Lower Cretaceous, Texas (116)
Midcontinent: foraminifers, Pennsylvanian (126)
Miocene: cetacean, North Carolina (8); lagomorphs, South Dakota (45)
Mississippian: brachiopods, Iowa (16); *Callixylon newberryi*, Tennessee (77); conodonts, biostratigraphy (52); crustaceans, Newfoundland (36); echinoderm site, Alabama (51); goniatite, Arkansas (31)
Missouri: graptolites, Silurian (6)
Mollusca: Neogene, west coast of North America (1); Permian, Nevada (98)
Molluscan paleontology: trends and status, west coast of North America (1)
Morphology: brachiopods (43); byssally attached bivalves (117); genus *Thaerodonta*, brachiopod (53); trilobite, *Bouleia* (32)
Mounds: Ordovician, Oklahoma (100)
Musculature: bivalves, Permian (133)
Nebraska: trilobites, Pennsylvanian and Permian (93)
Neoarchaeocrinus elevatus: new combination, echinoderm (121)
Neoarchaeocrinus obconicus (Solocum): new combination, echinoderm (121)
Neogene: Mollusca, west coast of North America (1)
Neognathodus: Pennsylvanian, Appalachian region (80)
Neognathodus bothrops: new species, conodont (80)
Neognathodus medadultimus: new species, conodont (80)
Neognathodus medexultimus: new species, conodont (80)
Neoprionoceras Spath: substitute generic name for Campylites, ammonoid (62)
Nevada: brachiopods and corals, Devonian (61); brachiopods, Devonian (57, 9); conodont evolution (3); graptolites, Devonian (5); graptolites, Ordovician (15); Mollusca, Permian (98); sponge, Carboniferous (102)
Newfoundland: crustaceans, Mississippian (36)
New South Wales: capitosaurid, Triassic (27)
New York: conodont evolution (3); gastropod *Ceratopea*, Ordovician (142); tabulate corals, Devonian (69); warm water Pleistocene fauna (46)
North Carolina: cetacean, Miocene (8)
Ochotonids: origin in North America, Miocene (45)
Ohio: brachiopod, Silurian (21); brachiopod, Odovician (99); coral, Silurian (35); Polyplacophora, Pennsylvanian (50); sea star, Ordovician (11)
Oklahoma: amphibian, Permian (89, 91); crinoid, Pennsylvanain (122); lungfish, Permian (91); sedimentological mounds, Ordovician (100)
Oligocene: oreodont, Arizona (71)
Ontario: graptolites, Ordovician (138)
Ordovician: Belemnocystitidae, echinoderms (94); brachiopod morphology (54); brachiopods, Indiana and Ohio (99); *Ceratopea unguis*, operculum and shell, Arkansas (141); Chitinozoa, lack of chitin (130); crinoid, California (120); gastropod Ceratopea, New York (142); graptolites, Idaho and Nevada (15); graptolites, Ontario (138); sea star, Ohio (11); sedimentological mounds (100)
Oreodont: Oligocene, Arizona (71)
Oregon: rugose corals, Devonian (115)
Ostracoderma: Silurian, Canada (12)
Paleobiological analysis: fusulinids, shell morphology (103)
Paleobiology: ancyrochitinids (19)
Paleocene: dinoflagellate, Virginia-Maryland (74); echinoid, Baja California (131); Insectivora, Wyoming (136)
Paleoecological interpretations: techniques for brachiopods (99)
Paleoecology: community structure, sampling requirements (118); foraminifers, Pennsylvanian (126); Pennsylvanian Polyplacophora, Ohio (50); Permian, Nevada (98); Paleozoic communities, trophic analysis (132)
Parabouleia calmonensis: new genus and new species, trilobite (32)
Parotosaurus wadei: new species, capitosaurid (27)
Peneckiella metalinae: new species, coral (115)
Pennsylvanian: crinoid, Oklahoma (122); foraminifers, Midcontinent (126); *Neognathodus* (conodont), Appalachian region (80); Polyplacophora, Ohio (50); trilobites, Nebraska (93)
Permian: ammonoids, Ellesmere Island (85); amphibian, Oklahoma (91); bivalves, musculature (133); blastoid, Timor (75); brachiopods, Greece (43); bryozoans, South Africa (134); lungfish, Oklahoma (90); Mollusca, Nevada (98); taphonomy, Wyoming (10); trilobite, evolution (20); trilobites, Nebraska (93)
Phillipsastrea enbyskae: new species, coral (115)
Phymosomatoida: echinoids, western North America (131)
Pleistocene: baboon, Angola (83); foraminifers, Arctic (119); marine fauna, California (140); warm water fauna, Long Island (46)
Plicoplasia acutiplicata: new species, brachiopod (70)

Polyplacophora: Pennsylvanian, Ohio (50)
Population analysis: *Triticites ventricosus*, fusulinid (63)
Porosoma fifei: new species, echinoid (131)
Precambrian: stromatolites, California (33); trace fossils, South West Africa (40)
Productidina: feeding mechanism (43)
Proexenocrinus inyoensis: new genus and new species, crinoid (120)
Pseudofossils: bee-nest markings (106)
Pterochiton spatulatus: new species Polyplacophora (50)
Recent: foraminifers, Arctic (119)
Reptilia: bony eyelid, Cretaceous (23)
Resserella ontarioensis: new species, brachiopod (21)
Rhynchotreta lenzi: new species, brachiopod (21)
Rugosochonetes lamellosus: new specific name, brachiopod (124)
Sampling requirements: for recognition of fossil communities (118)
Scorpion: Siluro-Devonian, England (65)
Schuchertella? humboldtensis: new species, brachiopod (16)
Sea star: Ordovician, Ohio (11)
Semiometra minuta: new species, crinoid (95)
Silicification: Permian fossils, Wyoming (10)
Silurian: brachiopod, Ohio (21); conodonts, California (82); conodonts, Texas (81); coral, Ohio (35); graptolites, Missouri (6); ostracoderms, Canada (12); trilobites, Alabama (87)
Solanocrinites (*Decameros*) *wertheimi*: new species, crinoid (95)
South Africa: bryozoans, Permian (134)
South Dakota: lagomorphs, Miocene (45)
South-West Africa: trace fossils, Cambrian-Precambrian (40)
Spathognathodus remscheidensis: evolution (conodont) (3)
Spinatrypa (*Invertrypa*) *subnuba*: new species, brachiopod (57)
Spinatrypina asymmetrica: new species, brachiopod (61)
Sponge: Carboniferous, Nevada (102)
Stereodictyum proteron: new species, sponge (102)
Synaptophyllum occidentalis: new species, coral (115)
Stromatolites: Precambrian, California (33)
Syringopora noranna: new species, coral (61)
Taphonomy: Permian, Wyoming (10)
Tappanispora loeblichii: new genus, new species, microspore (116)
Techniques: chloride peel for iron sulphide petrifactions (55); for revealing cephalopod sutures (72); staining for calcareous invertebrates (49); thin-section (88)
Tecnocyrtina: new genus, brachiopod (59)
Teichertina: brachiopod, Devonian (60)
Temnophyllum decaeni: new species, tetracoral (96)
Temnophyllum lenzi: new species, tetracoral (96)
Temnophyllum macconnelli: new species, tetracoral (96)
Temnophyllum: tetracoral, systematics and distribution (96)
Temperature effects: on spine regeneration in echinoids (29)
Tennessee: *Callixylon*, Mississippian (77)
Tertiary: beetle, Mexico (4)
Texas: brachiopods, Lower Carboniferous (17); coelomic cavity casts, Cretaceous (42); comatulid crinoids, Cretaceous (95); conodonts, Silurian (81); microspores, Lower Cretaceous (116)
Texathyris elegantula: new genus and new species, brachiopod (17)
Thaerodonta: morphology, brachiopod (53)
Thin-sections: identification of Foraminfera (126)
Thin-section techniques: fossil and recent organisms (88)
Timor: blastoid, Permian (75)
Trace fossils: Cambrian-Precambrian, South-West Africa (40)
Triassic: capitosaurid, New South Wales (27)
Trilobita: *Bouleia* Kozlowski, morphology (32); Devonian, Northwest Territories (92); Pennsylvanian and Permian, Nebraska (93); Permian, evolution (20); Silurian, Alabama (87)
Triticites ventricosus: population analysis, fusulinid (63)
Trochoaster simplex: redescription, trochoasterid (108)
Trophic analysis: Recent and Paleozoic communities (132)
Tylothyridinae: new subfamily, brachiopods (17)
Vernonaspis epitegosa: new species, ostracoderm (12)
Virginia: dinoflagellate, Paleocene (74)
Washington: rugose corals, Devonian (115)
Wyoming: diagenesis, Permian limestone (10); Insectivora, Paleocene (136); taphonomy, Permian (10)
Wolfcampian: Mollusca, Nevada (98)